

Item description/product images



Description

Product description:

Heavy duty toggle clamps are especially suitable for manual clamping processes with short clamping times.

The clamping arm swivels 90° at the rotation speed of the impact driver and enables rapid clamping. When this movement is completed, the linear down clamping travel is carried out.

Material:

Carbon steel.

Version:

Black oxidised.

Type of operation:

Impact driver with adjustable torque.

With automated operation, e.g. using impact drivers with adjustable torque, no more than 50% of the specified maximum tightening torque or clamping force may be used for loosening and tightening.


Advantages:

- Automation-compatible
- High clamping forces
- Rapid clamping

Drawing reference:

- 1) swing travel
- 2) clamp travel

Drawings



Overview of items

Order No.	Version 1	Form	Form definition	B	B1	B2	D	D1	H	H1	H2	H3	H4	H5	L	L1	L2	L3	S1	S2	SW	Tightening torque max. Nm	Clamping force kN
04364-10-1061	pin POM	A	over sole	90	70	22	11	M12	80	139	11	15	30	29	50	66	55	50	11	10	19	28	6
04364-10-1060	pin POM	B	over the base or over two sides offset at 90° to each other	90	70	-	11	-	80	139	11	15	30	29	-	-	-	50	11	10	19	-	-