

Item description/product images



Description

Material:

Black thermoplastic.

Screw grade 5.8 steel or 1.4305 stainless steel.

Version:


Steel trivalent blue passivated, stainless steel bright.



Item description/product images



Drawings



Overview of items

Order No.	Component material	Colour Cap	D	D1	D2	D3	H	H1	L
06242-AEX10	0.0028	5-Axis Reducer Adapter	8-32	21	12	19	21	10	10
06242-AE5X10	0.0028	black	8-32	21	12	19	21	10	10
06242-AE6X10	0.0028	750X75000 (+/- 10 mm)	8-32	21	12	19	21	10	10
06242-AE7X10	0.0028	8 sides	8-32	21	12	19	21	10	10
06242-AEX20	0.0028	5-Axis Reducer Adapter	8-32	21	12	19	21	10	20
06242-AE5X20	0.0028	black	8-32	21	12	19	21	10	20
06242-AE6X20	0.0028	750X75000 (+/- 10 mm)	8-32	21	12	19	21	10	20
06242-AE7X20	0.0028	8 sides	8-32	21	12	19	21	10	20
06242-A1X10	0.0028	5-Axis Reducer Adapter	10-32	21	12	19	21	10	10
06242-A15X10	0.0028	black	10-32	21	12	19	21	10	10
06242-A16X10	0.0028	750X75000 (+/- 10 mm)	10-32	21	12	19	21	10	10
06242-A17X10	0.0028	8 sides	10-32	21	12	19	21	10	10
06242-A1X20	0.0028	5-Axis Reducer Adapter	10-32	21	12	19	21	10	20
06242-A15X20	0.0028	black	10-32	21	12	19	21	10	20
06242-A16X20	0.0028	750X75000 (+/- 10 mm)	10-32	21	12	19	21	10	20
06242-A17X20	0.0028	8 sides	10-32	21	12	19	21	10	20
06242-A2X20	0.0028	5-Axis Reducer Adapter	1/4-20	25	14	23	25	12	20
06242-A25X20	0.0028	black	1/4-20	25	14	23	25	12	20
06242-A26X20	0.0028	750X75000 (+/- 10 mm)	1/4-20	25	14	23	25	12	20
06242-A27X20	0.0028	8 sides	1/4-20	25	14	23	25	12	20
06242-A2X30	0.0028	5-Axis Reducer Adapter	1/4-20	25	14	23	25	12	30
06242-A25X30	0.0028	black	1/4-20	25	14	23	25	12	30
06242-A26X30	0.0028	750X75000 (+/- 10 mm)	1/4-20	25	14	23	25	12	30
06242-A27X30	0.0028	8 sides	1/4-20	25	14	23	25	12	30
06242-A3X20	0.0028	5-Axis Reducer Adapter	5/16-18	33	18	31	33	15	20
06242-A35X20	0.0028	black	5/16-18	33	18	31	33	15	20

Overview of items

Order No.	Component material	Colour Cap	D	D1	D2	D3	H	H1	L
06242-A36X20	0.0028	750X75000 (+/- 10 mm)	5/16-18	33	18	31	33	15	20
06242-A37X20	0.0028	8 sides	5/16-18	33	18	31	33	15	20
06242-A3X40	0.0028	5-Axis Reducer Adapter	5/16-18	33	18	31	33	15	40
06242-A35X40	0.0028	black	5/16-18	33	18	31	33	15	40
06242-A36X40	0.0028	750X75000 (+/- 10 mm)	5/16-18	33	18	31	33	15	40
06242-A37X40	0.0028	8 sides	5/16-18	33	18	31	33	15	40
06242-0AEX10	24 V DC	5-Axis Reducer Adapter	8-32	21	12	19	21	10	10
06242-0AE5X10	24 V DC	black	8-32	21	12	19	21	10	10
06242-0AE6X10	24 V DC	750X75000 (+/- 10 mm)	8-32	21	12	19	21	10	10
06242-0AE7X10	24 V DC	8 sides	8-32	21	12	19	21	10	10
06242-0AEX20	24 V DC	5-Axis Reducer Adapter	8-32	21	12	19	21	10	20
06242-0AE5X20	24 V DC	black	8-32	21	12	19	21	10	20
06242-0AE6X20	24 V DC	750X75000 (+/- 10 mm)	8-32	21	12	19	21	10	20
06242-0AE7X20	24 V DC	8 sides	8-32	21	12	19	21	10	20
06242-0A1X10	24 V DC	5-Axis Reducer Adapter	10-32	21	12	19	21	10	10
06242-0A15X10	24 V DC	black	10-32	21	12	19	21	10	10
06242-0A16X10	24 V DC	750X75000 (+/- 10 mm)	10-32	21	12	19	21	10	10
06242-0A17X10	24 V DC	8 sides	10-32	21	12	19	21	10	10
06242-0A1X20	24 V DC	5-Axis Reducer Adapter	10-32	21	12	19	21	10	20
06242-0A15X20	24 V DC	black	10-32	21	12	19	21	10	20
06242-0A16X20	24 V DC	750X75000 (+/- 10 mm)	10-32	21	12	19	21	10	20
06242-0A17X20	24 V DC	8 sides	10-32	21	12	19	21	10	20
06242-0A2X20	24 V DC	5-Axis Reducer Adapter	1/4-20	25	14	23	25	12	20
06242-0A25X20	24 V DC	black	1/4-20	25	14	23	25	12	20
06242-0A26X20	24 V DC	750X75000 (+/- 10 mm)	1/4-20	25	14	23	25	12	20
06242-0A27X20	24 V DC	8 sides	1/4-20	25	14	23	25	12	20
06242-0A2X30	24 V DC	5-Axis Reducer Adapter	1/4-20	25	14	23	25	12	30
06242-0A25X30	24 V DC	black	1/4-20	25	14	23	25	12	30
06242-0A26X30	24 V DC	750X75000 (+/- 10 mm)	1/4-20	25	14	23	25	12	30
06242-0A27X30	24 V DC	8 sides	1/4-20	25	14	23	25	12	30
06242-0A3X20	24 V DC	5-Axis Reducer Adapter	5/16-18	33	18	31	33	15	20
06242-0A35X20	24 V DC	black	5/16-18	33	18	31	33	15	20
06242-0A36X20	24 V DC	750X75000 (+/- 10 mm)	5/16-18	33	18	31	33	15	20
06242-0A37X20	24 V DC	8 sides	5/16-18	33	18	31	33	15	20
06242-0A3X40	24 V DC	5-Axis Reducer Adapter	5/16-18	33	18	31	33	15	40
06242-0A35X40	24 V DC	black	5/16-18	33	18	31	33	15	40
06242-0A36X40	24 V DC	750X75000 (+/- 10 mm)	5/16-18	33	18	31	33	15	40
06242-0A37X40	24 V DC	8 sides	5/16-18	33	18	31	33	15	40